



ThermoGlo™

Food Warming

Item No: _____

AIA FILE NO./ SPEC NO.
CONSULTANT/ CONTRACTOR APPROVAL



ThermoGlo™

The Marshall ThermoGlo™ Food Warming Technology radiates uniform heat side to side, end to end, on every square inch of the heating surface. The ThermoGlo™ is designed with a flat, unbreakable radiating metal face encased in stainless steel housing and delivers a wide range of temperature capabilities to fill exact warming and holding requirements. You identify the required temperature, and then select the heat intensity to furnish that specific temperature using the chart on the right. The ThermoGlo™ surface has no reflectors, wire guards, nooks or crannies so it wipes completely clean with a moist cloth. The ThermoGlo™ can be mounted in your pass-through window, dump station, or under an over shelf.

Model #	Size	Weight
500791	10"W x 12"L x 3"H	10 lbs.
500792	10"W x 18"L x 3"H	13 lbs.
500793	10"W x 24"L x 3"H	17 lbs.
500794	10"W x 36"L x 3"H	26 lbs.
500795	10"W x 48"L x 3"H	35 lbs.
500797	10"W x 60"L x 3"H	43 lbs.
500799	10"W x 72"L x 3"H	60 lbs.

All Marshall products are supported by a nationwide service organization and an in-house, full-time Customer Support Department. To place an order, call:

1-800-627-8368

**ETL (US, Canada), NSF & CE Listed
FOR COMMERCIAL USE ONLY**

**Ask about Marshall's companion High Speed Toasters, Conveyor Broilers and Ventilation Systems.*


ThermoGlo™ has no bulbs, lamps, or tubes that glow hot in a concentrated area, which leads to prolonged element life and provides uniform heat radiation. Food stays "presentation ready" longer because exact internal temperatures can be reached faster and maintained longer.

FEATURES

- Even heat distribution across the entire ThermoGlo™ surface means every square inch of surface operates cooler, which lessens oxidation and corrosion, and increases element life.
- Extremely durable metal heating surface is encased in a tough stainless steel housing. There are no fragile exposed bulbs or tubes to chip or break... or fall into food.
- ThermoGlo™ carries a full 2-year repair or replacement guarantee.

OPTIONAL

- Companion light system and switches available. See ThermoGlo™ Light System and Switch Options spec sheet for details.



Above temperature table, under controlled conditions, reflects temperature in still air. Actual conditions may cause a slight variance in temperature measurements.

Standard Heater Size	Model #	WATTAGE CHART		
		Code Blue	Code Yellow	Code Red
10 x 12	500791	360	480	720
10 x 18	500792	560	840	1,120
10 x 24	500793	700	1,050	1,400
10 x 36	500794	875	1,300	1,750
10 x 48	500795	1,050	1,575	2,100
10 x 60	500797	1,250	1,825	2,500
10 x 72	500799	1,450	2,175	2,900

**To determine amp draw, divide wattage by voltage. All sizes are available in 120, 208, or 240 volt.*


Marshall Air Systems, Inc.

419 Peachtree Drive South • Charlotte, North Carolina 28217 USA • Phone: (704) 525-6230 Fax: (704) 525-6229 • www.marshallair.com



ThermoGlo™

Food Warming



Part #	Size	"A"	"B"	"C"	# of Brackets
500791	10" X 12"	12"	8"	N/A	4
500792	10" X 18"	18"	14"	N/A	4
500793	10" X 24"	24"	20"	N/A	4
500794	10" X 36"	36"	32"	N/A	4
500795	10" X 48"	48"	44"	N/A	4
500797	10" X 60"	60"	56"	N/A	4
500799	10" X 72"	72"	68"	16"	8

Options: International Voltages, CE Approval; consult factory for additional configurations and sizes.

Wiring: 3 Wire Leads (including ground) 48" Long

Switch Options

	On/Off Toggle	Infinite Control	Solid State Control
120volt Part #	103768	103375	103378
208/240volt Part #	103768	103376	103377
Max amp draw	18 amps	13 amps	35 amps
Dimensions (L x W x H)	2.875" x 2.75" x 4.625" (73mm x 70mm x 117mm)	6.625" x 3.75" x 3.25" (168mm x 95mm x 83mm)	7.5" x 5.5" x 6" (191mm x 140mm x 152mm)

Marshall Air Systems, Inc.

419 Peachtree Drive South • Charlotte, North Carolina 28217 USA • Phone: (704) 525-6230 Fax: (704) 525-6229 • www.marshallair.com